

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	966	709/216	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/02 15:35
S2	3368	709/220	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/02 15:35
S3	2201	709/221	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/02 15:35
S4	3357	709/226	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/02 15:35
S5	8065	S1 or S2 or S3 or S4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/02 15:35
S6	2	S5 and ((memory or queue or buffer) near2 partition\$2 with (key or authentication or permission))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/02 15:39
S7	82	((memory or queue or buffer) near2 partition\$2 with (key or authentication or permission))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/02 15:39
S8	49	disk adj access with key	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/02 15:53

S9	18	disk adj access near2 key	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/02 15:50
S10	31	S8 not S9	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/02 15:53
S11	3	(determining or deciding) with upgrade adj flag	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/02 17:03
S12	13	upgrade adj flag	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/02 17:04
S13	33	upgrade near3 flag	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/02 17:10
S14	20	S13 not S12	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/02 17:04
S15	4	upgrade near3 flag with key	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/02 17:05
S16	8	("5155849").URPN.	USPAT	OR	OFF	2005/03/02 17:08
S17	3	upgrade near3 flag with partitions	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/02 17:10

S18	6	memory adj partition\$2 near2 key	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/02 17:29
S19	27	memory adj partition\$2 with key	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/02 17:29
S20	21	S19 not S18	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/02 17:52
S21	5047	(memory or queue or buffer) with (access near2 (regulat\$5 or dedicat\$5 or limit\$5 or prohibit\$5 or inhibit\$5))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/02 17:55
S22	10	(memory or queue or buffer) near2 partition\$2 with (access near2 (regulat\$5 or dedicat\$5 or limit\$5 or prohibit\$5 or inhibit\$5))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/02 17:57
S23	53	(memory or queue or buffer) with (access near2 (regulat\$5 or dedicat\$5 or limit\$5 or prohibit\$5 or inhibit\$5)) near3 key	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/02 18:04
S24	1	(memory or queue or buffer) with (access near2 (regulat\$5 or dedicat\$5 or limit\$5 or prohibit\$5 or inhibit\$5)) near3 key with flag	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/02 18:04
S25	27	upgrade near2 flag	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB.	OR	ON	2005/03/02 18:05

S26	0	S23 and S25	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/02 18:04
S27	33	upgrade near3 flag	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/02 18:05
S28	1	S21 and S25	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/02 18:05
S29	1	S21 and S27	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/02 18:05
S30	4555	(storage or memory) near partition\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/03 14:48
S31	56874	access adj ((regulation or determination or control) or key\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/03 14:57
S32	104	S30 same S31	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/03 14:51
S33	42	S30 with S31	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/03 14:51

S34	91	access adj ((regulation or determination or control) with key\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/03 17:24
S35	0	S30 and S34	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/03 14:58
S36	0	S34 with partitions	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/03 15:00
S37	28	data adj processor with data adj storage with user adj interface	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/03 17:25
S38	8	S37 with operating adj system	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/03 17:25
S39	8	S37 same operating adj system	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/03 17:25